Author Index

Aarhus, R., see Lee, H.C. (1164) 68
Adlercreutz, P., see Calvet, S. (1164) 189
Agbedana, O.E., see Moriwaki, Y. (1164) 327
Ahmad, F., see Awasthi, S. (1164) 173
Ahmad, H., see Awasthi, S. (1164) 173
Angal, S., see Williamson, R.A. (1164) 8
Ansari, G.A.S., see Awasthi, S. (1164) 173
Ansari, N.H., see Liu, S.-Q. (1164) 268
Aquilina, J.A., see Carver, J.A. (1164) 22
Arbelaez, L.F., see Jensen, P.E.H. (1164) 152
Ascoli, F., see Santucci, R. (1164) 133
Ásgeirsson, B. and Bjarnason, J.B.
Properties of elastase from Atlantic cod, a cold-adapted proteinase (1164) 91
Awasthi, S., Srivastava, S.K., Ahmad, F., Ahmad, H. and Ansari, G.A.S.
Interactions of glutathione *S*-transferase-π with ethacrynic acid and its glutathione conjugate (1164) 173

Banerji, A., see Omkumar, R.V. (1164) 108
Battel, V.A., see Dabich, D. (1164) 47
Bhatnagar, A., see Liu, S.-Q. (1164) 268
Bjarnason, J.B., see Ásgeirsson, B. (1164) 91
Boldyreff, B., see Meggio, F. (1164) 223
Brubaker, M.J., see Groutas, W.C. (1164) 283
Burda, P., see Potuznik, S. (1164) 289
Butz, T., see Mottner, P. (1164) 311
Byers, L.D., see Li, Y.-K. (1164) 17

Cacciapuoti, G., see Porcelli, M. (1164) 179
Calvet, S., Clapés, P., Torres, J.L., Valencia, G., Feixas, J. and Adlercreutz, P.
Enzymatic synthesis of X-Phe-Leu-NH_2 in low water content systems: Influence of the *N*-α protecting group and the reaction medium composition (1164) 189
Cardemil, E., see Rojas, M.C. (1164) 143
Carver, J.A., Aquilina, J.A. and Truscott, R.J.W.
An investigation into the stability of α-crystallin by NMR spectroscopy; evidence for a two-domain structure (1164) 22
Chang, Y.-F., see Rao, V.V. (1164) 29
Chen, F., see Kedzie, K.M. (1164) 124
Chiancone, E., see Strange, R. (1164) 331
Chong, L.S., see Groutas, W.C. (1164) 283
Clapés, P., see Calvet, S. (1164) 189
Cleary, D.L., see Martin, R.A. (1164) 252
Condron, R., see Hartman, D.J. (1164) 219
Crerar, M.M., see Hudson, J.W. (1164) 197
Čurin-Šerbec, V., see Kopitar-Jerala, N. (1164) 75

Dabich, D., Yurewicz, E.C. and Battel, V.A.
Deglycosylation with trifluoromethanesulfonic acid differentially affects inhibitor activities of turkey ovomucoid (1164) 47
Dekker, E.E., see Marcus, J.P. (1164) 299
De Rosa, M., see Porcelli, M. (1164) 179
Desideri, A., see Strange, R. (1164) 331
Dias, J.A., see Wang, Y. (1164) 227
Dyer, B., see Freedman, J.A. (1164) 138

Eisenthal, R., see Sumner, I.G. (1164) 243
Encinas, M.V., see Rojas, M.C. (1164) 143
Epp, J.B., see Groutas, W.C. (1164) 283
Erfkamp, J., see Mottner, P. (1164) 311
Ernst-Fonberg, M.L., Worsham, L.M.S. and Williams, S.G.
Comparison of acyl-carrier protein and other protein structures in aqueous solutions by Fourier-transform infrared spectroscopy (1164) 273

Feixas, J., see Calvet, S. (1164) 189
Finnegan, M.G., see Onate, Y.A. (1164) 113
Freedman, J.A., Dyer, B., Tattrie, B. and Nicholls, P.
The effect of antibodies to subunit V of cytochrome oxidase on cyanide inhibition of electron transfer (1164) 138
Freedman, R.B., see Williamson, R.A. (1164) 8
Fusco, S., see Porcelli, M. (1164) 179

Galivan, J., see Wang, Y. (1164) 227
Gambacorta, A., see Porcelli, M. (1164) 179
Gelvan, D., see Potuznik, S. (1164) 289
Gogotov, I.N., see Yakunin, A.F. (1164) 305
Goodenough, P.W., see Sumner, I.G. (1164) 243
Greve, J., see Smeets, M.H. (1164) 236
Grimm, S.W., see Kedzie, K.M. (1164) 124
Groutas, W.C., Venkataraman, R., Brubaker, M.J., Epp, J.B., Chong, L.S., Stanga, M.A., McClenahan, J.J. and Tagusagawa, F.
3-(Alkylthio)-*N*-hydroxysuccinimide derivatives: potent inhibitors of human leukocyte elastase (1164) 283
Gubenšek, F., see Kopitar-Jerala, N. (1164) 75
Guido, D.M., see Martin, R.A. (1164) 252

Hada, T., see Moriwaki, Y. (1164) 327
Hägglöf, E.-M., see Jensen, P.E.H. (1164) 152
Hales, B.J., see Onate, Y.A. (1164) 113
Hallenbeck, P.C., see Yakunin, A.F. (1164) 305
Halpert, J.R., see Kedzie, K.M. (1164) 124
Harris, I., see Wheatley, D.N. (1164) 209
Hartman, D.J., Hoogenraad, N.J., Condron, R. and Høj, P.B.
The complete primary structure of rat chaperonin 10 reveals a putative $\beta\alpha\beta$ nucleotide-binding domain with homology to $p21^{ras}$ (1164) 219
Hefferon, K.L., see Hudson, J.W. (1164) 197
Higashino, K., see Moriwaki, Y. (1164) 327
Høj, P.B., see Hartman, D.J. (1164) 219
Hoogenraad, N.J., see Hartman, D.J. (1164) 219
Hudson, J.W., Hefferon, K.L. and Crerar, M.M.
Comparative analysis of species-independent, isozyme-specific amino-acid substitutions in mammalian muscle, brain and liver glycogen phosphorylases (1164) 197

Iacomino, G., see Porcelli, M. (1164) 179
Inoue, Y., see Tran, L.-T. (1164) 166
Issinger, O.-G., see Meggio, F. (1164) 223

Author Index

Aarhus, R., see Lee, H.C. (1164) 68
Adlercreutz, P., see Calvet, S. (1164) 189
Agbedana, O.E., see Moriwaki, Y. (1164) 327
Ahmad, F., see Awasthi, S. (1164) 173
Ahmad, H., see Awasthi, S. (1164) 173
Angal, S., see Williamson, R.A. (1164) 8
Ansari, G.A.S., see Awasthi, S. (1164) 173
Ansari, N.H., see Liu, S.-Q. (1164) 268
Aquilina, J.A., see Carver, J.A. (1164) 22
Arbelaez, L.F., see Jensen, P.E.H. (1164) 152
Ascoli, F., see Santucci, R. (1164) 133
Ásgeirsson, B. and Bjarnason, J.B.
Properties of elastase from Atlantic cod, a cold-adapted proteinase (1164) 91
Awasthi, S., Srivastava, S.K., Ahmad, F., Ahmad, H. and Ansari, G.A.S.
Interactions of glutathione *S*-transferase-π with ethacrynic acid and its glutathione conjugate (1164) 173

Banerji, A., see Omkumar, R.V. (1164) 108
Battel, V.A., see Dabich, D. (1164) 47
Bhatnagar, A., see Liu, S.-Q. (1164) 268
Bjarnason, J.B., see Ásgeirsson, B. (1164) 91
Boldyreff, B., see Meggio, F. (1164) 223
Brubaker, M.J., see Groutas, W.C. (1164) 283
Burda, P., see Potuznik, S. (1164) 289
Butz, T., see Mottner, P. (1164) 311
Byers, L.D., see Li, Y.-K. (1164) 17

Cacciapuoti, G., see Porcelli, M. (1164) 179
Calvet, S., Clapés, P., Torres, J.L., Valencia, G., Feixas, J. and Adlercreutz, P.
Enzymatic synthesis of X-Phe-Leu-NH_2 in low water content systems: Influence of the *N*-α protecting group and the reaction medium composition (1164) 189
Cardemil, E., see Rojas, M.C. (1164) 143
Carver, J.A., Aquilina, J.A. and Truscott, R.J.W.
An investigation into the stability of α-crystallin by NMR spectroscopy; evidence for a two-domain structure (1164) 22
Chang, Y.-F., see Rao, V.V. (1164) 29
Chen, F., see Kedzie, K.M. (1164) 124
Chiancone, E., see Strange, R. (1164) 331
Chong, L.S., see Groutas, W.C. (1164) 283
Clapés, P., see Calvet, S. (1164) 189
Cleary, D.L., see Martin, R.A. (1164) 252
Condron, R., see Hartman, D.J. (1164) 219
Crerar, M.M., see Hudson, J.W. (1164) 197
Čurin-Šerbec, V., see Kopitar-Jerala, N. (1164) 75

Dabich, D., Yurewicz, E.C. and Battel, V.A.
Deglycosylation with trifluoromethanesulfonic acid differentially affects inhibitor activities of turkey ovomucoid (1164) 47
Dekker, E.E., see Marcus, J.P. (1164) 299
De Rosa, M., see Porcelli, M. (1164) 179
Desideri, A., see Strange, R. (1164) 331
Dias, J.A., see Wang, Y. (1164) 227
Dyer, B., see Freedman, J.A. (1164) 138

Eisenthal, R., see Sumner, I.G. (1164) 243
Encinas, M.V., see Rojas, M.C. (1164) 143
Epp, J.B., see Groutas, W.C. (1164) 283
Erfkamp, J., see Mottner, P. (1164) 311
Ernst-Fonberg, M.L., Worsham, L.M.S. and Williams, S.G.
Comparison of acyl-carrier protein and other protein structures in aqueous solutions by Fourier-transform infrared spectroscopy (1164) 273

Feixas, J., see Calvet, S. (1164) 189
Finnegan, M.G., see Onate, Y.A. (1164) 113
Freedman, J.A., Dyer, B., Tattrie, B. and Nicholls, P.
The effect of antibodies to subunit V of cytochrome oxidase on cyanide inhibition of electron transfer (1164) 138
Freedman, R.B., see Williamson, R.A. (1164) 8
Fusco, S., see Porcelli, M. (1164) 179

Galivan, J., see Wang, Y. (1164) 227
Gambacorta, A., see Porcelli, M. (1164) 179
Gelvan, D., see Potuznik, S. (1164) 289
Gogotov, I.N., see Yakunin, A.F. (1164) 305
Goodenough, P.W., see Sumner, I.G. (1164) 243
Greve, J., see Smeets, M.H. (1164) 236
Grimm, S.W., see Kedzie, K.M. (1164) 124
Groutas, W.C., Venkataraman, R., Brubaker, M.J., Epp, J.B., Chong, L.S., Stanga, M.A., McClenahan, J.J. and Tagusagawa, F.
3-(Alkylthio)-*N*-hydroxysuccinimide derivatives: potent inhibitors of human leukocyte elastase (1164) 283
Gubenšek, F., see Kopitar-Jerala, N. (1164) 75
Guido, D.M., see Martin, R.A. (1164) 252

Hada, T., see Moriwaki, Y. (1164) 327
Hägglöf, E.-M., see Jensen, P.E.H. (1164) 152
Hales, B.J., see Onate, Y.A. (1164) 113
Hallenbeck, P.C., see Yakunin, A.F. (1164) 305
Halpert, J.R., see Kedzie, K.M. (1164) 124
Harris, I., see Wheatley, D.N. (1164) 209
Hartman, D.J., Hoogenraad, N.J., Condron, R. and Høj, P.B.
The complete primary structure of rat chaperonin 10 reveals a putative $\beta\alpha\beta$ nucleotide-binding domain with homology to $p21^{ras}$ (1164) 219
Hefferon, K.L., see Hudson, J.W. (1164) 197
Higashino, K., see Moriwaki, Y. (1164) 327
Høj, P.B., see Hartman, D.J. (1164) 219
Hoogenraad, N.J., see Hartman, D.J. (1164) 219
Hudson, J.W., Hefferon, K.L. and Crerar, M.M.
Comparative analysis of species-independent, isozyme-specific amino-acid substitutions in mammalian muscle, brain and liver glycogen phosphorylases (1164) 197

Iacomino, G., see Porcelli, M. (1164) 179
Inoue, Y., see Tran, L.-T. (1164) 166
Issinger, O.-G., see Meggio, F. (1164) 223

Jensen, P.E.H., Hägglöf, E.-M., Arbelaez, L.F., Stigbrand, T. and Shanbhag, V.P.
Comparison of conformational changes of pregnancy zone protein and human α_2-macroglobulin, a study using hydrophobic affinity partitioning (1164) 152
Jerala, R., see Kopitar-Jerala, N. (1164) 75
Johnson, M.K., see Onate, Y.A. (1164) 113

Kadam, S.M., see Omkumar, R.V. (1164) 108
Kaletha, K., see Nagel-Starczynowska, G. (1164) 261
Kawauchi, H., see Noso, T. (1164) 159
Kedzie, K.M., Grimm, S.W., Chen, F. and Halpert, J.R.
Hybrid enzymes for structure-function analysis of cytochrome *P*-450 2B11 (1164) 124
Kemp, R.G., see Rojas, M.C. (1164) 143
Kimura, A., see Tran, L.-T. (1164) 166
Kono, K., Nishii, H. and Takagishi, T.
Fusion activity of an amphiphilic polypeptide having acidic amino acid residues: generation of fusion activity by α-helix formation and charge neutralization (1164) 81
Kopitar-Jerala, N., Čurin-Šerbec, V., Jerala, R., Križaj, I., Gubenšek, F. and Turk, V.
Monoclonal antibodies to human stefin B and determination of their epitopes (1164) 75
Kosovsky, M.J. and Soslau, G.
Immunological identification of human platelet mitochondrial DNA topoisomerase I (1164) 101
Križaj, I., see Kopitar-Jerala, N. (1164) 75
Kubiak, T.M., see Martin, R.A. (1164) 252
Kuciel, R., see Ostrowski, W.S. (1164) 319

La Mar, G.N., see Santucci, R. (1164) 133
Latshaw, S.P., see Rojas, M.C. (1164) 143
Lee, H.C. and Aarhus, R.
Wide distribution of an enzyme that catalyzes the hydrolysis of cyclic ADP-ribose (1164) 68
Lerf, A., see Mottner, P. (1164) 311
Li, Y.-K. and Byers, L.D.
Phosphonate inhibitors of glyceraldehyde-3-phosphate dehydrogenase and phosphoglycerate kinase (1164) 17
Liang, S.-J., see Xiao, J. (1164) 54
Liu, S.-Q., Bhatnagar, A., Ansari, N.H. and Srivastava, S.K.
Identification of the reactive cysteine residue in human placenta aldose reductase (1164) 268
Love, E.M., see Wheatley, D.N. (1164) 209

Marcus, J.P. and Dekker, E.E.
Identity and some properties of the L-threonine aldolase activity manifested by pure 2-amino-3-ketobutyrate ligase of *Escherichia coli* (1164) 299
Martin, R.A., Cleary, D.L., Guido, D.M., Zurcher-Neely, H.A. and Kubiak, T.M.
Dipeptidyl peptidase IV (DPP-IV) from pig kidney cleaves analogs of bovine growth hormone-releasing factor (bGRF) modified at position 2 with Ser, Thr or Val. Extended DPP-IV substrate specificity? (1164) 252
Maruyama, S., Nonaka, I. and Tanaka, H.
Inhibitory effects of enzymatic hydrolysates of collagen and collagen-related synthetic peptides on fibrinogen/thrombin clotting (1164) 215
McClenahan, J.J., see Groutas, W.C. (1164) 283
Meggio, F., Boldyreff, B., Issinger, O.-G. and Pinna, L.A.
The autophosphorylation and $p34^{cdc2}$ phosphorylation sites of casein kinase-2 β-subunit are not essential for reconstituting the fully-active heterotetrameric holoenzyme (1164) 223
Miseta, A., see Wheatley, D.N. (1164) 209
Morante, S., see Strange, R. (1164) 331

Moriwaki, Y., Yamamoto, T., Suda, M., Nasako, Y., Takahashi, S., Agbedana, O.E., Hada, T. and Higashino, K.
Purification and immunohistochemical tissue localization of human xanthine oxidase (1164) 327
Mottner, P., Butz, T., Lerf, A., Erfkamp, J., Schneider, K. and Müller, A.
The in-vivo identification of the MoFe protein (FeMo cofactor) of nitrogenase in *Klebsiella pneumoniae* and of the Mo-storage protein in *Azotobacter vinelandii* via the nuclear quadrupole interaction of $^{99}Mo(\beta^-)^{99}Tc$ (1164) 311
Müller, A., see Mottner, P. (1164) 311
Murphy, G., see Williamson, R.A. (1164) 8

Nagel-Starczynowska, G. and Kaletha, K.
AMP-deaminase from human uterine smooth muscle: the effect of DTNB treatment on kinetic and regulatory properties of the enzyme (1164) 261
Nasako, Y., see Moriwaki, Y. (1164) 327
Nicholls, P., see Freedman, J.A. (1164) 138
Nicoll, C.S., see Noso, T. (1164) 159
Nimec, Z., see Wang, Y. (1164) 227
Nishii, H., see Kono, K. (1164) 81
Nonaka, I., see Maruyama, S. (1164) 215
Noso, T., Nicoll, C.S. and Kawauchi, H.
Lungfish prolactin exhibits close tetrapod relationships (1164) 159

Omkumar, R.V., Kadam, S.M., Banerji, A. and Ramasarma, T.
On the involvement of intramolecular protein disulfide in the irreversible inactivation of 3-hydroxy-3-methylglutaryl-CoA reductase by diallyl disulfide (1164) 108
Onate, Y.A., Finnegan, M.G., Hales, B.J. and Johnson, M.K.
Variable temperature magnetic circular dichroism studies of reduced nitrogenase iron proteins and $[4Fe\text{-}4S]^+$ synthetic analog clusters (1164) 113
Ostrowski, W.S., Kuciel, R., Tanaka, F. and Yagi, K.
Fluorometric analysis of native, urea-denatured and refolded human prostatic acid phosphatase (1164) 319
Otto, K., see Smeets, M.H. (1164) 236
Owen, A.J., see Sumner, I.G. (1164) 243

Pan, X., see Rao, V.V. (1164) 29
Pandey, R.K., see Santucci, R. (1164) 133
Pettersson, G.
Optimal kinetic design of enzymes in a linear metabolic pathway (1164) 1
Pickersgill, R.W., see Sumner, I.G. (1164) 243
Pinna, L.A., see Meggio, F. (1164) 223
Porcelli, M., Cacciapuoti, G., Fusco, S., Iacomino, G., Gambacorta, A., De Rosa, M. and Zappia, V.
S-Adenosylhomocysteine hydrolase from the thermophilic archaeon *Sulfolobus solfataricus*: purification, physico-chemical and immunological properties (1164) 179
Potuznik, S., Gelvan, D., Burda, P. and Saltman, P.
Thiols, gold-thiols, zinc-thiols and the redox state of hemoglobin (1164) 289
Puppels, G.J., see Smeets, M.H. (1164) 236

Ramasarma, T., see Omkumar, R.V. (1164) 108
Rao, V.V., Tsai, M.J., Pan, X. and Chang, Y.-F.
L-Pipecolic acid oxidation in rat: subcellular localization and developmental study (1164) 29
Richards, F.M., see Wishart, D.S. (1164) 36
Rojas, M.C., Encinas, M.V., Kemp, R.G., Latshaw, S.P. and Cardemil, E.
Identification of reactive vicinal cysteines in *Saccharomyces cerevisiae* (ATP) and cytosolic rat liver (GTP) phospho*enol*pyruvate carboxykinases (1164) 143
Ryan, T.J., see Wang, Y. (1164) 227

Saltman, P., see Potuznik, S. (1164) 289
Santucci, R., Ascoli, F., La Mar, G.N., Pandey, R.K. and Smith, K.M.
Reconstitution of horse heart myoglobin with hemins methylated at 6- or 7-positions: a circular dichroism study (1164) 133
Schneider, K., see Mottner, P. (1164) 311
Shanbhag, V.P., see Jensen, P.E.H. (1164) 152
Smeets, M.H., Vrensen, G.F.J.M., Otto, K., Puppels, G.J. and Greve, J.
Local variations in protein structure in the human eye lens: a Raman microspectroscopic study (1164) 236
Smith, B.J., see Williamson, R.A. (1164) 8
Smith, K.M., see Santucci, R. (1164) 133
Soslau, G., see Kosovsky, M.J. (1164) 101
Srivastava, S.K., see Awasthi, S. (1164) 173
Srivastava, S.K., see Liu, S.-Q. (1164) 268
Stanga, M.A., see Groutas, W.C. (1164) 283
Stefanini, S., see Strange, R. (1164) 331
Stigbrand, T., see Jensen, P.E.H. (1164) 152
Strange, R., Morante, S., Stefanini, S., Chiancone, E. and Desideri, A.
Nucleation of the iron core occurs at the three-fold channels of horse spleen apoferritin: an EXAFS study on the native and chemically-modified protein (1164) 331
Strickland, D., see Wheatley, D.N. (1164) 209
Suda, M., see Moriwaki, Y. (1164) 327
Sumner, I.G., Vaughan, A., Eisenthal, R., Pickersgill, R.W., Owen, A.J. and Goodenough, P.W.
Kinetic analysis of papaya proteinase Ω (1164) 243
Sykes, B.D., see Wishart, D.S. (1164) 36

Tagusagawa, F., see Groutas, W.C. (1164) 283
Takagishi, T., see Kono, K. (1164) 81
Takahashi, S., see Moriwaki, Y. (1164) 327
Tanaka, F., see Ostrowski, W.S. (1164) 319
Tanaka, H., see Maruyama, S. (1164) 215
Tattrie, B., see Freedman, J.A. (1164) 138
Torres, J.L., see Calvet, S. (1164) 189
Tran, L.-T., Inoue, Y. and Kimura, A.
Oxidative stress response in yeast: purification and some properties of a membrane-bound glutathione peroxidase from *Hansenula mrakii* (1164) 166
Troshina, O.Yu.., see Yakunin, A.F. (1164) 305
Truscott, R.J.W., see Carver, J.A. (1164) 22
Tsai, M.J., see Rao, V.V. (1164) 29
Tsou, C.-L., see Xiao, J. (1164) 54
Tsou, C.-L., see Zhang, Y.-L. (1164) 61
Turk, V., see Kopitar-Jerala, N. (1164) 75

Valencia, G., see Calvet, S. (1164) 189
Vaughan, A., see Sumner, I.G. (1164) 243
Venkataraman, R., see Groutas, W.C. (1164) 283
Vrensen, G.F.J.M., see Smeets, M.H. (1164) 236

Wang, Y., Nimec, Z., Ryan, T.J., Dias, J.A. and Galivan, J.
The properties of the secreted γ-glutamyl hydrolases from H35 hepatoma cells (1164) 227
Wheatley, D.N., Miseta, A., Love, E.M., Strickland, D. and Harris, I.
Effect of the immediate precursors of phenylalanine and tyrosine on growth and protein synthesis in phenylalanine- and tyrosine-deprived HeLa cells (1164) 209
Williams, S.G., see Ernst-Fonberg, M.L. (1164) 273
Williamson, R.A., Smith, B.J., Angal, S., Murphy, G. and Freedman, R.B.
Structural analysis of tissue inhibitor of metalloproteinases-1 (TIMP-1) by tryptic peptide mapping (1164) 8
Wishart, D.S., Sykes, B.D. and Richards, F.M.
Improved synthetic methods for the selective deuteration of aromatic amino acids: applications of selective protonation towards the identification of protein folding intermediates through nuclear magnetic resonance (1164) 36
Worsham, L.M.S., see Ernst-Fonberg, M.L. (1164) 273

Xiao, J., Liang, S.-J. and Tsou, C.-L.
Inactivation before significant conformational change during denaturation of papain by guanidine hydrochloride (1164) 54

Yagi, K., see Ostrowski, W.S. (1164) 319
Yakunin, A.F., Hallenbeck, P.C., Troshina, O.Yu.. and Gogotov, I.N.
Purification and properties of a flavodoxin from the heterocystous cyanobacterium *Anabaena sphaerica* (1164) 305
Yamamoto, T., see Moriwaki, Y. (1164) 327
Yurewicz, E.C., see Dabich, D. (1164) 47

Zappia, V., see Porcelli, M. (1164) 179
Zhang, Y.-L., Zhou, J.-M. and Tsou, C.-L.
Inactivation precedes conformation change during thermal denaturation of adenylate kinase (1164) 61
Zhou, J.-M., see Zhang, Y.-L. (1164) 61
Zurcher-Neely, H.A., see Martin, R.A. (1164) 252